



Your Solutions Partner

DUKE

Product Holding Units



MUHC (Multi Use Holding Cabinet)



The MUHC line provides the highest level of operational and menu flexibility in one customizable unit. Maximize hold performances with the HeatSink™ heated shelf which has the ability to accept **various size pans in the same well.**

Pan Size Variations:



Notes:

- Pans are sold separately and color is subject to change
- Warranty: Standard 1 year parts and labor



MUHC34 - 2.5" deep 1/3 size pans and 2.5" 1/2 size pans



MUHC - 3x4SM


H 15 1/8 in
38.4 cm

W 31 3/8 in
79.4 cm

D 16 1/4 in
38.3 cm

Model	Electrical Requirements				Timerbar Options	Control Options
	Voltage	Hz	Amps	Plug		
MUHC-34SM	208	50 / 60	14	L6-20P	<ol style="list-style-type: none"> Single Dual Single with back panel 	<ol style="list-style-type: none"> With daypart switch Without daypart switch

Pan Configurations: (4) 2.5" Deep 1/3 size pans
(4) 2.5" Deep 1/2 size pans



MUHC - 3x4

H 15 3/4 in
40.0 cm

W 41 1/2 in
105.3 cm

D 16 1/4 in
41.1 cm

Model	Electrical Requirements				Timerbar Options	Control Options
	Voltage	Hz	Amps	Plug		
MUHC-34	208	50 / 60	16	L6-20P	<ol style="list-style-type: none"> Single Dual Single with back panel 	<ol style="list-style-type: none"> With daypart switch Without daypart switch

Pan Configurations: (6) 2.5" Deep 1/3 size pans
(6) 2.5" Deep 1/2 size pans

MUHC51 and 52 - 2.5" full size pans



Counter-top



Stand with casters

MUHC - 5x1

Counter-top

H 25 1/4 in
63.8 cm

W 18 7/8 in
47.9 cm

D 23 7/8 in
60.5 cm

Stand with casters

H 34 1/4 in
87.1 cm

W 18 7/8 in
47.9 cm

D 23 7/8 in
60.5 cm

Model	Electrical Requirements				Timerbar Options	Control Options
	Voltage	Hz	Amps	Plug		
MUHC-51	208	60	9.8	L6-20P	1. Single 2. Dual 3. Single with back panel	1. With daypart switch 2. Without daypart switch
	230	50	8.7	CEE 7/7		

Pan Configurations: (5) 2.5" Deep full size pans



Counter-top



Stand with casters

MUHC - 5x2

Counter-top

H 25 1/4 in
63.8 cm

W 32 1/8 in
81.4 cm

D 23 7/8 in
60.5 cm

Stand with casters

H 48 1/8 in
122.1 cm

W 32 1/8 in
81.4 cm

D 23 7/8 in
60.5 cm

Model	Electrical Requirements				Timerbar Options	Control Options
	Voltage	Hz	Amps	Plug		
MUHC-52	208	60	24	L6-30P	1. Single 2. Dual 3. Single with back panel	1. With daypart switch 2. Without daypart switch
	230	50	12.6	L6-20P		

Pan Configurations: (10) 2.5" Deep full size pans



Your Solutions Partner

www.dukemfg.com



Your Solutions Partner

**DUKE CORPORATE
UNITED STATES, CANADA**

2305 N. Broadway
St. Louis, MO 63102

Toll Free: 800.735.3853
Phone: 314.231.1130
Fax: 314.231.5074

**EUROPE, MIDDLE EAST,
AFRICA, RUSSIA**

Duke Manufacturing C.R. s.r.o
Building #DC6, ProLogis Park
Prague D1 East, Na Dlouhem
86, Jazlovice - Ricany
251 01 Czech Republic

Calling from United Kingdom
and Ireland
Tel: +44.(0)1395.234140
Fax: +44.(0)1395.234154

Calling from Europe, Middle
East and Africa
Phone: (+420) 323 608 193

ASIA

No. 3 Building,
Lane 28, Yu Lv Road,
Malu Town, Jiading District
Shanghai 201801, China

Phone:
+86.21.59153525/59153526
Fax: +86.21.33600628